United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.usplo.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/700,484	11/05/2003	Nestor J. Santi	03068.001200	7754
5514 7590 10/09/2007 FITZPATRICK CELLA HARPER & SCINTO 30 ROCKEFELLER PLAZA			EXAMINER	
			DUNWOODY, AARON M	
NEW YORK, I	NEW YORK, NY 10112		ART UNIT	PAPER NUMBER
			3679	
			·	
			MAIL DATE	DELIVERY MODE
			10/09/2007	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

· · · · · · · · · · · · · · · · · · ·	Application No.	Applicant(s)				
	10/700,484	SANTI ET AL.				
Office Action Summary	Examiner	Art Unit				
	Aaron M. Dunwoody	3679				
The MAILING DATE of this communication app	ears on the cover sheet with	the correspondence address				
Period for Reply	/ IC CET TO EXPIRE A MOI	ALTIMON OF THIRTY (20) DAYO				
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING DA - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period w - Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICA 36(a). In no event, however, may a repl vill apply and will expire SIX (6) MONTH cause the application to become ABAN	ATION. y be timely filed S from the mailing date of this communication. RDONED (35 U.S.C. § 133).				
Status						
1)⊠ Responsive to communication(s) filed on 16 Ju	Ily 2007.					
·						
3) Since this application is in condition for allowar	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is					
closed in accordance with the practice under E	x parte Quayle, 1935 C.D. 1	11, 453 O.G. 213.				
Disposition of Claims						
4)⊠ Claim(s) <u>1-47</u> is/are pending in the application.						
4a) Of the above claim(s) is/are withdrawn from consideration.						
5) Claim(s) is/are allowed.						
6)⊠ Claim(s) <u>1-34 and 45-47</u> is/are rejected.						
7) Claim(s) is/are objected to.						
8) Claim(s) are subject to restriction and/or	r election requirement.					
Application Papers	•					
9) ☐ The specification is objected to by the Examine	r.					
10) The drawing(s) filed on is/are: a) acce	epted or b)□ objected to by	the Examiner.				
Applicant may not request that any objection to the		` '				
Replacement drawing sheet(s) including the correct	, -, ;					
11) The oath or declaration is objected to by the Ex	aminer. Note the attached C	Diffice Action of form P10-152.				
Priority under 35 U.S.C. § 119						
12) ☐ Acknowledgment is made of a claim for foreign a) ☐ All b) ☐ Some * c) ☐ None of:	priority under 35 U.S.C. § 1	19(a)-(d) or (f).				
1. Certified copies of the priority documents have been received.						
2. Certified copies of the priority documents have been received in Application No						
3. Copies of the certified copies of the prior	•	eceived in this National Stage				
application from the International Bureau	, .,	anivad				
* See the attached detailed Office action for a list of the certified copies not received.						
Attachment(s)	Λ.Π	(DTO 442)				
 Notice of References Cited (PTO-892) Notice of Draftsperson's Patent Drawing Review (PTO-948) 		Mail Date				
Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date	5) Notice of Info	rmal Patent Application				

Art Unit: 3679

DETAILED ACTION

Continued Examination Under 37 CFR 1.114

A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 7/16/2007 has been entered.

Claim Rejections - 35 USC § 112

The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

Claims 1-47 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

Claims 1, 17 and 45 claim a radially expandable threaded tubular assembly, but it is not clear to the Examiner what state assembly/processing is being claimed. It appears that Applicant is attempting to claim intermediate process steps such as curing and radially expanded; these limitations are completely appropriate in methods claims. Claims 1-47 are apparatus claims and intermediate steps are given little patentable weight since the final apparatus is considered the claimed invention.

Further, a comparison of the recited process with the prior art process does NOT serve to resolve the issue concerning patentability of the product. In re Fressman, 489

Art Unit: 3679

F2d 742, 180 U.S.P.Q. 324 (CCPA 1974). Whether a product is patentable depends on whether it is known in the art or it is obvious, and is not governed by whether the process by which it is made is patentable. In re Klug, 333 F2d 905, 142 U.S.P.Q. 161 (CCPA 1964). In an exparte case, product-by-process claims art not construed as being limited by the product formed by the specific process recited. In re Hirao et al., 535 F2d 67, 190 U.S.P.Q. 15, see footnote 3 (CCPA 1976).

Furthermore, the method of forming the device is not germane to the issue of patentability of the device itself. Therefore, these limitations are given little patentable weight.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Claims 1-16, 45 and 46 are rejected under 35 U.S.C. 103(a) as being unpatentable over US patent 5505502, Smith et al in view of 2282 Thiokol High Performance Polysulfid Joint Sealant document.

In regards to claim 1, Smith et al disclose a radially expandable threaded tubular assembly comprising:

a radially expandable male threaded element having external male threading and a first free end, the external male threading including a first incomplete thread and a first

Art Unit: 3679

hooked thread, the first incomplete thread being located at least adjacent the first free end of the male threaded element;

a radially expandable female threaded element having internal female threading and a second free end, the internal female threading including a second incomplete thread and a second hooked thread, the second incomplete thread being located at least adjacent the second free end of the female threaded element, the female threaded element being threadedly engaged with the male threaded element. Smith et al does not disclose an elastomeric sealant. 2282 Thiokol High Performance Polysulfid Joint Sealant document discloses an elastomeric sealant to provide a high performance chemical resistant flexible joint sealant (page 1, col. 1, paragraph 1). It would have been obvious to one having ordinary skill in the art at the time the invention was made to provide an elastomeric sealant to provide a high performance chemical resistant flexible joint sealant, as taught by 2282 Thiokol High Performance Polysulfid Joint Sealant document.

Note, the method of forming the device is not germane to the issue of patentability of the device itself. Therefore, this limitation is given little patentable weight

In regards to claim 2, 2282 Thiokol High Performance Polysulfid Joint Sealant document discloses the elastomeric sealant is capable of being elongated at least about 45 percent after curing while remaining extended between and adhered to each of the external male threading and the internal female threading and has an elastic modulus less than about 2.0 MPa (290 p.s.i.).

Art Unit: 3679

In regards to claim 3, 2282 Thiokol High Performance Polysulfid Joint Sealant document discloses the elastomeric sealant is capable of being elongated at least about 100 percent after curing while remaining extended between and adhered to each of the external male threading and the internal female threading and has an elastic modulus less than about 1.0 MPa (145 p.s.i.).

In regards to claim 4, 2282 Thiokol High Performance Polysulfid Joint Sealant document discloses the elastomeric sealant is capable of being elongated at least about 400 percent after curing while remaining extended between and adhered to each of the external male threading and the internal female threading and has an elastic modulus between about 0.5 MPa (73 p.s.i.) and about 2.0 MPa (290 p.s.i.).

In regards to claim 5, Smith et al in view of 2282 Thiokol High Performance Polysulfid Joint Sealant document disclose the elastomeric sealant is adhered to each of the external male threading and the internal female threading with an adhesion-to-rigid-substrate of at least 0.35 MPa (51 p.s.i.).

In regards to claim 6, Smith et al in view of 2282 Thiokol High Performance Polysulfid Joint Sealant document discloses the elastomeric sealant is adhered to each of the external male threading and the internal female threading with an adhesion-to-rigid-substrate of at least 0.7 MPa (102 p.s.i.).

In regards to claim7, 2282 Thiokol High Performance Polysulfid Joint Sealant document discloses the elastomeric sealant is a greaseless elastomeric sealant.

Art Unit: 3679

In regards to claim 8, 2282 Thiokol High Performance Polysulfid Joint Sealant

document discloses the greaseless elastomeric sealant is capable of curing in the

absence of oxygen and in the absence of humidity.

In regards to claim 9, 2282 Thiokol High Performance Polysulfid Joint Sealant

document discloses the greaseless elastomeric sealant is a polysulfide sealant or a

polyurethane sealant.

In regards to claim 10, 2282 Thiokol High Performance Polysulfid Joint Sealant

document discloses the greaseless elastomeric sealant is a viscous paste or a liquid

before curing and is a rubber-like solid after curing.

In regards to claim 11, Smith et al disclose the male threaded element and the

female threaded element threadedly engage each other to form a flush joint connection.

In regards to claim 12, Smith et al disclose each of the first incomplete thread

and the second incomplete thread has a perfect crest and an imperfect root.

In regards to claim 13, Smith et al disclose each of the first incomplete thread

and the second incomplete thread is also a hooked thread.

In regards to claim 14, Smith et al disclose the first incomplete thread is the initial

thread adjacent the first free end of the male threaded element, and the second

incomplete thread is the initial thread adjacent the second free end of the female

threaded element.

In regards to claim 15, Smith et al disclose at least one of the male threaded

element and the female threaded element includes a torque shoulder.

Art Unit: 3679

In regards to claim 16, Smith et al disclose the torque shoulder is a reverse torque shoulder.

In regards to claim 45, Smith et al in view of 2282 Thiokol High Performance Polysulfid Joint Sealant document disclose an expandable sealed tubular joint comprising:

a pair of radially expandable elements each having threading at a free end thereof and coupled to one another, the threading including hooked incomplete threads being located at least adjacent the free ends; and

a sealing substance extending between and adhering to the threading of one radially expandable element and the threading of the other radially expandable element, wherein after a radial expansion of the coupled pair of radially expandable elements the sealing substance remains extended between and adhered to the threading of one radially expandable element and the threading of the other radially expandable element.

In regards to claim 46, 2282 Thiokol High Performance Polysulfid Joint Sealant document discloses the sealing substance is a greaseless elastomeric sealant that (i) is capable of being elongated at least about 100 percent while remaining extended between and adhered to the threading of one radially expandable element and the threading of the other radially expandable element, (ii) is adhered to the threading with an adhesion-to-rigid-substrate of at least 0.35 MPa (51 p.s.i.); and (iii) has an elastic modulus between about 0.5 MPa (73 p.s.i.) and about 2.0 MPa (290 p.s.i.).

Art Unit: 3679

Claims 17-34 and 47 are rejected under 35 U.S.C. 103(a) as being unpatentable over US patent 5505502, Smith et al in view of US patent 3822902, Maurer et al.

In regards to claim 17, Smith et al disclose a radially expandable threaded tubular assembly comprising:

a radially expandable male threaded element having external male threading and a first free end, the external male threading including a first incomplete thread and a first hooked thread, the first incomplete thread being located at least adjacent the first free end of the male threaded element;

a radially expandable female threaded element having internal female threading and a second free end, the internal female threading including a second incomplete thread and a second hooked thread, the second incomplete thread being located at least adjacent the second free end of the female threaded element. Smith et al does not disclose a first and second metallic coating. Maurer et al teach a first and second coating to ensure that the threads are thoroughly lubricated to protect against galling (col. 4, lines 10-17). As Maurer et al relates to a connection to pipe joints, it would have been obvious to one having ordinary skill in the art at the time the invention was made to provide a first and second coating to ensure that the threads are thoroughly lubricated to protect against galling, as taught by Maurer et al.

In regards to claim 18, Maurer et al disclose each of the first metallic coating and the second metallic coating is a ductile metal and has a yielding tension less than about 100 MPa (14.5 k.s.i.).

In regards to claim 19, Maurer et al disclose each of the first metallic coating and the second metallic coating is a ductile metal and has a yielding tension less than about 20 MPa (2.9 k.s.i.).

In regards to claim 20, Maurer et al disclose each of the first metallic coating and the second metallic coating allows a principal shear strain of at least about 100 percent without fracturing and without fissure propagation

In regards to claim 21, Maurer et al disclose one of the first metallic coating and the second metallic coating is an alloy, and the other of the first metallic coating and the second metallic coating is an alloy or a pure metal.

In regards to claims 22-28 and 47, Smith in view of Maurer et al disclose the claimed invention except for each of the first metallic coating and the second metallic coating being a pure metal contains 99.99 percent by weight of a single metal; and the single metal being selected from the group consisting of Copper, Aluminum, Lead, Zinc, Tin and Magnesium. It would have been obvious to one having ordinary skill in the art at the time the invention was made to fabricate the first metallic coating and the second metallic coating with a pure metal contains 99.99 percent by weight of a single metal, and the single metal being selected from the group consisting of Copper, Aluminum, Lead, Zinc, Tin and Magnesium, since it has been held to be within the general skill of a worker in the art to select a known material on the basis of its suitability for the intended use as a matter of obvious design choice. In re Leshin, 125 USPQ 416.

Art Unit: 3679

In regards to claim 29, Smith et al disclose the radially expandable male threaded element and the radially expandable female threaded element threadedly engage each other to form a flush joint connection.

In regards to claim 30, Smith et al disclose each of the first incomplete thread and the second incomplete thread has a perfect crest and an imperfect root.

In regards to claim 31, Smith et al disclose each of the first incomplete thread and the second incomplete thread is also a hooked thread.

In regards to claim 32, Smith et al disclose the first incomplete thread is the initial thread adjacent the first free end of the male threaded element, and the second incomplete thread is the initial thread adjacent the second free end of the female threaded element.

In regards to claim 33, Smith et al disclose at least one of the male threaded element and the female threaded element includes a torque shoulder.

In regards to claim 34, Smith et al disclose the torque shoulder is a reverse torque shoulder.

Response to Arguments

Applicant's arguments filed 7/16/2007 have been fully considered but they are not persuasive.

Applicant's additions to the claims above are not recited in the claim language, but the prior art is fully capable of meeting the new functional limitations. It has been held that the recitation that an element is "capable of" performing a function is not a

Art Unit: 3679

positive limitation but only requires the ability to so perform. It does not constitute a limitation in any patentable sense. *In re Hutchison*, 69 USPQ 138.

In response to applicant's argument that there is no suggestion to combine the references, the examiner recognizes that obviousness can only be established by combining or modifying the teachings of the prior art to produce the claimed invention where there is some teaching, suggestion, or motivation to do so found either in the references themselves or in the knowledge generally available to one of ordinary skill in the art. See In re Fine, 837 F.2d 1071, 5 USPQ2d 1596 (Fed. Cir. 1988) and In re Jones, 958 F.2d 347, 21 USPQ2d 1941 (Fed. Cir. 1992). In this case, it would have been obvious to one having ordinary skill in the art at the time the invention was made to modify Smith et al to provide an elastomeric sealant to provide a high performance chemical resistant flexible joint sealant, as taught by 2282 Thiokol High Performance Polysulfid Joint Sealant document; and as Maurer et al relates to a connection to pipe joints, it would have been obvious to one having ordinary skill in the art at the time the invention was made to modify Smith et al to provide a first and second coating to ensure that the threads are thoroughly lubricated to protect against galling, as taught by Maurer et al.

In response to applicant's argument that Maurer et al is nonanalogous art, it has been held that a prior art reference must either be in the field of applicant's endeavor or, if not, then be reasonably pertinent to the particular problem with which the applicant was concerned, in order to be relied upon as a basis for rejection of the claimed

invention. See *In re Oetiker*, 977 F.2d 1443, 24 USPQ2d 1443 (Fed. Cir. 1992). In this case, Maurer et al relate to a connection to pipe joints.

In response to applicant's argument that the references fail to show certain features of applicant's invention, it is noted that the features upon which applicant relies (i.e., SET technology) are not recited in the rejected claim(s). Although the claims are interpreted in light of the specification, limitations from the specification are not read into the claims. See *In re Van Geuns*, 988 F.2d 1181, 26 USPQ2d 1057 (Fed. Cir. 1993).

Further, the Applicant should not that metal threaded elements are fully capable of being expanded, and the claims of the instant application are not drawn to expanding said metal threaded elements.

Furthermore, it has been held that the recitation that an element is "capable of" performing a function is not a positive limitation but only requires the ability to so perform. It does not constitute a limitation in any patentable sense. *In re Hutchison*, 69 USPQ 138.

Applicant argues that Smith et al '502 do not disclose any incomplete threads adjacent a free end. The Examiner disagrees. Smith et al '502 clearly illustrate an incomplete thread adjacent a free end which includes a lip. Therefore, Smith et al meet the claim limitations.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Aaron M. Dunwoody whose telephone number is 571-272-7080. The examiner can normally be reached on 7:30 am - 4:00 pm.

Art Unit: 3679

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Daniel P. Stodola can be reached on 571-272-7087. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Aaron M Dunwoody Primary Examiner Art Unit 3679

.amd